

SCIENCE AND ENGINEERING OF HTC SUPERCONDUCTIVITY IV

TABLE OF CONTENTS

SECTION 1 - MATERIALS SYNTHESIS, PROCESSING, STRUCTURE AND PHYSICAL CHEMISTRY

1.1 Single Crystals, Powders, Bulk Materials

| | |
|--|----|
| YBa ₂ Cu ₃ O _{7-x} single domain growth and shaping for fault current limiting applications R.F. Tournier, D. Bourgault, D. Buzon, X. Chaud, E. Floch, D. Isfort, L. Porcar, P. Tixador, J. Bach, X. Obradors, T. Puig, X. Granados, E. Mendoza, J. Teva, E. Calleja, M. Segarra, I.G. Serradilla, H. Keshtkar, M. Sander | 3 |
| Growth of single crystals in RE-Ba-Cu-O systems (RE=Pr, Nd, Sm, Eu) by an unconventional technique P. Mele, G.A. Costa, M.M. Carnasciali, M. Ferretti | 15 |
| Effect of starting powders on the growth of large Bi-2212 single crystals H. Imao, S. Kishida | 23 |
| LPE growth and intrinsic Josephson junction characteristics of La _{2-x} Sr _x CuO ₄ single-crystalline films I. Tanaka, A.T.M.N. Islam, S. Watauchi | 31 |
| Non stoichiometry and charge transfer in high T _c superconducting materials: HgBa ₂ CuO _{4+δ} (Hg-1201) et HgBa ₂ Ca ₂ Cu ₃ O _{8+δ} (Hg-1223) V. Viallet-Guillen, G. Collin, R. Papoular, J.-F. Marucco, D. Colson | 39 |
| The environmental degradation mechanism and protective organic thin film coatings upon a high temperature bismuth cuprate superconductor D. Lee, R.A. Condrate, Sr. | 47 |
| Thermochemistry of high T _c superconducting oxides Hg-1201, Hg-1223 and Bi-2212 J.-F. Marucco, V. Guillen, F. Jean, D. Colson | 55 |

| | |
|--|----|
| Basic study on the formation of superconductive circuit on the bulk of press formed Bi system by laser technique H. Miyazawa, K. Hotta, H. Hirose | 63 |
| Influence of pelletization pressure and lead contents on synthesis of superconducting ceramics $\text{Bi}_{2-x}\text{Pb}_x\text{Sr}_2\text{Ca}_2\text{Cu}_3\text{O}_{10+d}$ O. Belkhen, M.-F. Mosbah, A. Amira | 69 |
| Synthesis optimization of the magnetic superconductor $\text{RuSr}_2\text{GdCu}_2\text{O}_8$ C. Artini, M. Carnasciali, G. Costa, M. Ferretti, R. Masini | 77 |
| The effect of oxygen plasma generated by different microwave modes on $\text{NdBa}_2\text{Cu}_3\text{O}_{6+\delta}$ superconductor: structure and IR studies L.Z. Ismail, M.I. Youssif, H.M. Abdel Moneim | 85 |
| Soldering of MT-YBCO: method to produce superconductive junctions T. Prikhna, W. Gawalek, N. Novikov, V. Moshchil, V. Sverdun, N. Sergienko, A. Surzhenko, M. Wendt, T. Habisreuther, D. Litzkendorf, S. Dub, R. Müller, A. Kordyuk, S. Kracunovska, L. Alexandrova | 95 |

1.2 Thin/Thick Film, Multilayers Hybrid Structures

| | |
|---|-----|
| Tl-based superconducting phases obtained by evaporation-condensation technique P. Badica, M. Hirai, H. Kito, A. Crisan, A. Iyo, Y. Tanaka | 105 |
| Preparation by MOCVD and AFM observation of as-grown (119) Bi-2223 and (103) Y-123 thin films K. Endo, P. Badica | 113 |
| Application of the factorial experimental design in the preparation of superconducting BSCCO thin films E. Díaz, F. Jiménez, E. Urbina, M. Jergel | 121 |
| High- T_c YBCO films with controllable microwave properties for advanced telecommunication devices V. Pan, C. Tretiatchenko | 129 |
| Preparation of $\text{Bi}_2\text{Sr}_2\text{Ca}_{n-1}\text{Cu}_n\text{O}_y$ thick films by a painting method S. Kishida, M. Seki, T. Yasuda, T. Tokuda, H. Tanaka | 137 |
| Study of tetragonal pnictide oxides $\text{M}_4\text{Pn}_2\text{O}$ (M=Ca, Sr, Ba and Pn=As, Sb, Bi): layered compounds related to the $\text{La}_2\text{CuO}_{4+x}$ superconductor C. Artini, M.M. Carnasciali, G.A. Costa, E. Magnone, P. Mele | 143 |
| Densification effect on superconductivity of Bi-2223/Ag wires composite sintered bulk S. Yoshizawa, S. Hirano, R. Yamamoto, Y. Hishinuma, A. Nishimura, A. Matsumoto, H. Kumakura | 149 |

1.3 Tapes, Wires

| | |
|---|-----|
| BSCCO(2223) and MgB ₂ wires and tapes: a comparison W. Goldacker | 159 |
| High-temperature and high-pressure processing routes of Bi,Pb(2223)/Ag tapes for high-current applications R. Flükiger, E. Giannini, I. Savvysuk, V. Garnier, C. Beneduce, B. Seeber | 171 |
| Texture optimization studies of powder-in-tube processed (Bi,Pb) ₂ Sr ₂ Ca ₂ Cu ₃ O ₁₀ /Ag superconductor tape using electron backscattered diffraction T.T. Tan, S. Li, H.K. Liu, S.X. Dou | 179 |
| Partial melting of filamentary (Gd, Dy, Ho)-Ba-Cu-O superconductors T. Goto, T. Takahashi | 187 |
| YBCO coated conductors made by co-evaporation technique A. Baldini, M. Bindi, A. Botarelli, A. Gauzzi, L. Gianni, S. Zannella | 195 |
| Spinodal decomposed nanostructural domains in the quenched MgB ₂ superconductor S. Li, T.T. Tan, X.L. Wang, S.X. Dou | 203 |
| Preparation of MgB ₂ superconducting wire by suspension spinning method H. Kato, T. Goto, K. Watanabe | 211 |
| Fabrication and characterization of melt-processed filamentary (RE, RE')-Ba-Cu-O superconductors E. Ban, T. Goto, K. Okada, O. Yoshida, Y. Matsuoka, K. Watanabe | 219 |

SECTION 2 - PHYSICAL PROPERTIES AND THEORY

| | |
|---|-----|
| Electron correlations in the high T _c -compounds G. Stollhoff | 229 |
| Doping dependence of phonon renormalization in YBa ₂ Cu ₃ O _y K.C. Hewitt, X.K. Chen, C. Roch, E.H. Altendorf, J.C. Irwin, R. Liang, D. Bonn, W.N. Hardy | 237 |
| Crystal-field Raman and infrared studies of Nd _{1.85} Ce _{0.15} CuO ₄ S. Jandl, P. Richard, P. Fournier, V. Nekvasil, A.A. Nugroho, A.A. Menovsky | 245 |
| Superconductivity in 2 dimensions: application to CuO ₂ planes and MgB ₂ J. Bok, J. Bouvier | 251 |

| | |
|---|-----|
| Proofs that high-temperature superconductivity is in BaO, SrO, or interstitial-oxygen layers, and is <i>s</i> -wave-paired and <i>p</i> -type J.D. Dow, D.R. Harshman | 257 |
| Anomalous electronic susceptibility in $\text{Bi}_2\text{Sr}_2\text{CuO}_{6+\delta}$ G. Le Bras-Jasmin, Z. Konstantinović, J.P. Carton, D. Colson, A. Forget, F. Jean, G. Collin, Y. Dumont, C. Ayache | 265 |
| Positive influence of Ta addition on superconductive properties of high pressure synthesized MgB_2 T. Prikhna, W. Gawalek, N. Novikov, Y. Savchuk, V. Moshchil, N. Sergienko, M. Wendt, S. Dub, V. Melnikov, A. Surzhenko, D. Litzkendorf, P. Nagorny, C. Schmidt | 271 |
| Suppression of superconductivity and strengthen effect of localized carriers for Zn doping $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ systems J. Zhang, Z. Chen, P. Li, S. Cao | 279 |
| Influence of disorder in superconductor compounds J. Bouvier, J. Bok | 287 |
| Transport characteristics due to structural inhomogeneity in complex cuprates $\text{R}_{1-x}\text{Pr}_x\text{Ba}_2\text{Cu}_3\text{O}_y$ ($R=\text{Gd}, \text{Nd}, \text{Ho}$) K. Yoshida, T. Hayasaka, K. Ota | 293 |
| Thermopower in overdoped region of cuprates Z. Konstantinovic, G. Le Bras-Jasmin, D. Colson, A. Forget, F. Jean, G. Collin, C. Ayache | 301 |
| Raman study of Bi-Pb-Sr-Ca-Cu-O superconductor thin films C. Mejía-García, E. Díaz-Valdés, G. Contreras-Puente, M. Jergel, J.L. López-López | 307 |
| Magnetic properties of $(\text{Bi}, \text{Cu})_1\text{Sr}_2(\text{Ln}, \text{Ce})_2\text{Cu}_2\text{O}_z$ ($\text{Ln}=\text{Er}$ and Gd) compounds K. Tagaya, H. Sasakura, Y. Akagi, M. Takahashi | 315 |
| Effect of local microstructure on the vortex velocity in Y-Ba-Cu-O high- T_c superconductors I. Kirschner, I. Dódonny, Gy. Kiss, R. Laiho, E. Lähderanta, S. Leppävuori, A.C. Bódi | 321 |
| Angle-resolved tunneling spectroscopic study of the anisotropy of pseudogap in Bi2212 cuprate superconductors T. Ogino, M. Mitsugi, S. Ueda, Y. Nakada, Y. Oikawa, H. Ozaki, Y. Miyahara, H. Enomoto | 328 |
| A model for high- T_c superconductors under pressure M.A. Ortiz, R.M. Mendez-Moreno, S. Orozco, M. Moreno | 335 |

| | |
|---|-----|
| A model for high- T_c cuprate superconductors R.M. Mendez-Moreno, S. Orozco, M.A. Ortiz, M. Moreno | 343 |
| Multilayer formalism for high T_c superconductivity M. Moreno, R.M. Mendez-Moreno | 351 |
| Effect of the rare-earth ionic size and superconductivity in $R\text{Ba}_2\text{Cu}_3\text{O}_{7-\delta}$ systems Z. Chen, Y. Cui, S. Cao, J. Zhang | 359 |
| Comparison of the transport properties of underdoped high temperature superconductors and spin ladders S. Stroobants, J. Vanacken, L. Weckhuysen, L. Trappeniers, T. Wambecq, V.V. Moshchalkov | 367 |

SECTION 3 - PHENOMENOLOGY OF THE SUPERCONDUCTING STATE

| | |
|---|-----|
| Magneto-optic imaging of single vortex dynamics in NbSe_2 crystals M. Baziljevich, P.E. Goa, H. Hauglin, E. Il'Yashenko, T.H. Johansen | 377 |
| Effect of magnetic field and its orientation on J_c in thin epitaxial HTS $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ films with dislocation low-angle domain boundaries V.M. Pan, Yu.V. Fedotov, S.M. Ryabchenko, E.A. Pashitskii, A.V. Semenov, V.I. Vakaryuk, V.S. Flis, Yu.V. Cherpak | 385 |
| Magnetostriction measurements on $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ crystals and Zn doped YBCO crystals Ch. Cura, R. Schubert, S. Ewert, G. Fuchs, G. Krabbes | 393 |
| Three-dimensional Josephson junction networks as model systems for describing the low-field magnetic response of granular superconductors: a critical analysis R. De Luca | 401 |

SECTION 4 - DEVICES AND APPLICATIONS

| | |
|---|-----|
| Interaction of permanent magnets and grained HTS-bulk material and design of magnetic bearings G. Ries, C. Hofmann | 409 |
| High-temperature superconductors in power engineering - A survey of the present situation H.-W. Neumüller | 421 |
| Optically controlled parametric effects in high temperature superconducting thin films V. Aroutiounian, V. Buniatyan, A. Sargsyan | 437 |

| | |
|---|-----|
| Bi(Pb) system superconductor as the microwave (X, K band) absorber K. Hotta, Y. Watanabe, H. Hirose | 445 |
| Influence of static magnetic field on a YBCO surface coil dedicated to nuclear magnetic resonance imaging J.-C. Ginefri, P. Crozat, L. Darrasse | 449 |
| Dynamic features of the consecutive contour on the base of high temperature superconducting film V. Aroutiounian, V. Buniatyan, A. Sargsyan | 457 |
| AUTHOR INDEX | 465 |